

PATCHMAC SURFACE REPAIR



Patchmac is a perfect cold lay solution for repairing paths, potholes, driveways and any other road surfaces.

GENERAL INFORMATION

Black in texture, Patchmac will give an open textured surface that is moderately permeable. The product is locally manufactured by Holcim in adherence to BS 4987.

FEATURES & BENEFITS

- ▶ Robust 28 day temporary surfacing repair
- ▶ Easy to use, lay straight from the bag
- ▶ Supplied in 25kg plastic weatherproof packs
- ▶ Each bag provides coverage of approximately 0.75 square metres at a final thickness of 20mm.

APPLICATIONS

- ▶ Driveway repair
- ▶ Footpath repair
- ▶ Pothole repair

AVAILABILITY

Available in 20kg plastic bags.

STORAGE

This product must be stored in unopened bags clear of the ground. All bags must be sheltered from the weather and stored in a frost-free, cool and dry location, avoiding direct contact with the ground.

If stored correctly can be used up to 6 months from purchase. Once opened, use within 24 hours. All bags should be kept sealed until use, avoid using pre-opened or damaged bags.

INSTRUCTIONS FOR USE

- ▶ Prior to use, if possible leave bags in the sun or a warm place to help workability
- ▶ Ensure the area where the Patchmac is to be laid is dry and firm enough to support trafficking requirements
- ▶ Square up the area to be repaired, remove any loose debris
- ▶ Before overlaying concrete or paving, brush on a tack coat of bitumen emulsion, to help prolong the life of the repair
- ▶ Use an ordinary rake, spade or trowel to spread Patchmac to the required thickness, leaving centre standing proud
- ▶ Tamp down with a hand rammer or roller (moisten roller to prevent sticking)
- ▶ Lay a maximum 30mm at any one time to ensure compaction.
- ▶ Maximum total depth should be no more than 60mm
- ▶ Add extra material as desired to achieve a level surface
- ▶ Allow to harden for at least 24 hours

PATCHMAC SURFACE REPAIR



SUSTAINABILITY & LOCAL SOURCING

Energy use and greenhouse gas emissions

Holcim UK is at the forefront of sustainability and has committed to reducing both energy and greenhouse gas intensity 5% year-on-year.

Manufacturing location

Produced in the UK, with locally sourced materials under strict environmental and social legislation, for local supply.

Circular economy

We will maximise reuse and recycle, with zero waste to landfill. We improve resource efficiency through reuse, recovery and/or recycling of waste materials in our production processes. Plus, we minimise the generation of both hazardous and non-hazardous waste.

Responsible sourcing

Holcim UK was the first UK construction company to achieve accreditation to the BES 6001 Framework Standard for the Responsible Sourcing of Construction Products.

Holcim UK has achieved a 'Very Good' rating for major product groups. The BES 6001 standard assesses:

- ▶ Quality Management
- ▶ Environmental Management
- ▶ Health and Safety Management
- ▶ Greenhouse Gas Emissions
- ▶ Minimising Raw Material Usage
- ▶ Labour Practice
- ▶ Biodiversity
- ▶ Community Engagement

MANUFACTURING STANDARD

All Holcim UK's products are manufactured in accordance with ISO 9001 with factory compliance to ISO 14001.

POLICIES

Holcim policies on the environment and community, health and safety and sustainable solutions for different product applications can be viewed on our website www.holcim.co.uk.

COSHH DATA

Full COSHH data is available on request. Please call **0845 600 0860** for more information.

TECHNICAL SUPPORT

Detailed guidance and assistance for specification and use of aggregate products is available through the sales office. A free technical service is also available. For further information, please refer to our technical services on **0845 600 0860**.

The information contained within this publication was accurate at time of production. However, Holcim UK reserves the right to introduce modifications or changes to detail at any time without notice. No charge is levied for this publication or advice therein, and accordingly the company, its employees and authorised agents can accept no liability whatsoever, either indirectly or directly arising from the use of its products.